

| School name  | Incident type       | Date of incident | Block/area              | Reported by         | Vandalism type            | Other information  |
|--|---------------------|------------------|-------------------------|---------------------|---------------------------|--|
| Miami State School   | Arson               | 2/06/2022        | General Learning Area   | Protective Services | N/A                       | QFES advises that they have extinguished a wheelie Bin under Inspire block (I Block). [Redacted] advised<br>PSG-COR received professional courtesy phone advise from QLD FIRE / Brisbane FCC stating that QFES were on site at the school in response to a fire on site. PSG-COR dispatched PSG Mobile Patrols - ZJ336 & ZJ322 attended.<br>Upon arrival ZJ336 observed QFES were leaving (Annerley 503A). They had extinguished a bin on fire outside the front gate of school. Patrol Officer spoke with QPS Sgt from Coorparoo Station who advised that the fire may have been accidental. Patrol of school grounds was conducted & nil further issues identified. Patrol Officer report nil damage was found to any buildings and no security issues identified. |
| Coorparoo Secondary College                                    | Fire                | 28/05/2022       | Other                   | Protective Services | N/A                       | [Redacted] has been advised.   |
| Tropical North Learning Academy - Trinity Beach State School   | Burnt Items on Site | 22/05/2022       | General Learning Area   | Keyholder/Staff     | N/A                       | Read with IR 5669<br>Keyholder reports attempted to light a fire with toilet paper upstairs in the New Learning Centre. [Redacted]   |
| Kirwan State School  | Arson               | 20/05/2022       | School Grounds          | Keyholder/Staff     | N/A                       | Informant advises - reporting an incident that occurred overnight. A promotional school sign was destroyed and items were thrown into the gardens.<br>We are assuming that they used Hand Sanitiser as the accelerant.   |
| Moore Park Beach State School                                  | Arson               | 16/05/2022       | Multiple Blocks         | Keyholder/Staff     | N/A                       | Informant advises the following was found on 16/05/22:<br>Covers removed from drains.<br>Items left in sinks.<br>Soap dispenser damaged/broken near outdoor sink.<br>Labels from veggie garden removed and tossed on ground.<br>Soccer goals turned over.<br>Tuckshop screen mesh torn and burnt. Photos on file.  |
| Tropical North Learning Academy - Smithfield State High School | Burnt Items on Site | 16/05/2022       | Amenities               | Keyholder/Staff     | N/A                       | Informant advised - Another fire was lit at the school by a student in G block boys bathroom. The student filled a 10 litre plastic bin with paper towels and then lit on fire. The approximate time was during CNC. Photos on file.   |
| Tropical North Learning Academy - Smithfield State High School | Burnt Items on Site | 11/05/2022       | Amenities               | Keyholder/Staff     | N/A                       | Informant advised - Another fire was lit at the school by a student in the G block boys bathroom. The student filled a 10 litre plastic bin with paper towels and then lit it on fire. The approximate time was during CNC.  |
| Albany Creek State School                                      | Burnt Items on Site | 9/05/2022        | School Grounds          | Protective Services | N/A                       | Patrol found a burnt mini umbrella and deodorant can next to the 'Buddy Bench' also noted in this area was a can of industrial hand cleaner which had been sprayed around the area.  |
| Ferny Grove State School                                       | Burnt Items on Site | 8/05/2022        | Undercover Area/Walkway | Protective Services | N/A                       | PSG Patrol officer (on site for routine patrol of the grounds) reports remains of small fire or attempt at a fire and exploded deodorant can in Tuckshop undercover area. Nil damage to buildings. Keyholder advised.  |
| Tropical North Learning Academy - Smithfield State High School | Burnt Items on Site | 6/05/2022        | General Learning Area   | Keyholder/Staff     | N/A                       | Informant Advised - On Friday 06th May 22 there was a fire at the school. This was lit by a student. The fire was lit in a garbage bin located between R block and K1 Block.<br>QFES Not called - fixed by staff.  |
| Herberton State School - Secondary Campus                      | Arson               | 3/05/2022        | General Learning Area   | Keyholder/Staff     | N/A                       | (Report by [Redacted] via e-mail after the fact)<br>Herberton State School P-10 Secondary Campus (27 Grace Street Herberton 4887)<br>Secondary Block B, verandah window frames, near room 5B15<br>Fire damage to verandah window frames, discovered on Tuesday 3 May, 2022<br>Police Link [Redacted] Photos on file. [Redacted]  |
| Carole Park State School                                       | Minor Arson         | 2/05/2022        | Undercover Area/Walkway | Keyholder/Staff     | N/A                       | Keyholder reported on 03 May 22 in the undercover area it looks like someone had a fire going and found some chalk to draw on the concrete.  |
| Herberton State School - Secondary Campus                      | Arson               | 21/04/2022       | General Learning Area   | Keyholder/Staff     | N/A                       | Keyholder advises that a fire had been lit on the verandah of SF demountable block damaging the floor boards. Police are advised. [Redacted] Photos on file.   |
| One Mile State School  | Arson               | 21/04/2022       | General Learning Area   | Keyholder/Staff     | N/A                       | Keyholder reports: A fire was started outside H block on the side which faces the toilet block - it scorched the panel and ground level and warped its metal frame. The glass in the window directly above was smashed. Also outside a block a plant pot was smashed.<br>CCTV footage of two boys leaving the site of the fire as it starts (and the footage shows one of them recording the fire on a phone). Police are advised. [Redacted]  |
| Kedron State High School                                       | Minor Arson         | 19/04/2022       | General Learning Area   | Keyholder/Staff     | N/A                       | On Tuesday 19 April cleaners found that someone had burnt flyers which had been blu tacked to the external wall of I Block. Staff will be reminded to remove all flyers from external walls prior to school holidays. The cleaners were able to clean the area.  |
| Stafford State School  | Burnt Items on Site | 31/03/2022       | Hall/MPS/Student Centre | Keyholder/Staff     | Grounds Damage            | [Redacted] reports on 31/03/22 at approximately 1745 hrs Unauthorised Person/s climbed onto the undercover roof, got into the security fencing at the hall area and gathered posters which they set on fire.<br>The incident was reported to Police.   |
| Cairns State High School                                       | Fire                | 29/03/2022       | General Learning Area   | Keyholder/Staff     | N/A                       | COR operator rang location regarding power issues to K block.<br>School staff informed that there was an active fire in K block. COR received no fire notifications from location. School staff called QFS who attend site. K Block Room K06. PS incident #88548590.30 March 22 - follow up with school that the fire was sustained in K Block roof exhaust fan from an electrical fault. Minimal damage sustained however, unable to use the upper block until repairs are made.  |
| Granville State School   | Major Arson         | 28/03/2022       | Multiple Blocks         | Protective Services | N/A                       | ON 28/03/2022 AT 2345 HRS THE PSG-COR RECEIVED MULTIPLE INTRUDER ALARMS FROM B BLOCK (LOWER FLOOR - CLASSROOM B1) AND [Redacted] WAS CONTACTED - REQUESTED THAT POLICE BE ADVISED OF THE ALARMS.<br>FURTHER ALARMS ACTIVATED - POLICE ATTENDED, ON ARRIVAL FOUND A WHEELIE BIN FIRE NEAR A BUILDING.<br>POLICE CONTACTED QLD FIRE SERVICE (WHO WERE NEARBY) - QFS ATTENDED. SIGNIFICANT FIRE DAMAGE TO ADMINISTRATION.<br>PSG-COR CONTACTED - KEY HOLDER + Q-BUILD MAINTENANCE MANAGER ON CALL (MARYBOROUGH) + DoE REGIONAL INFRASTRUCTURE MANAGER [Redacted]  |
| Stafford State School  | Minor Arson         | 25/03/2022       | School Grounds          | Keyholder/Staff     | Grounds Damage            | Unknown trespassers have been onsite staff suspect the offenders are juveniles. There are currently works onsite for the lift installation and there is a pile of soil that has been thrown around in our quadrangle, at doors etc. There has also been a small fire lit near B Block around the water troughs. Staff have reported this to QPS.   |
| Western Suburbs State Special School                           | Fire                | 20/03/2022       | School Grounds          | Protective Services | N/A                       | ZJ333 advises Report from [Redacted] whilst handover at Inala station stating fire on fence line at school. On arrival QFES have attended and extinguished fire near admin outside school on fence line. Fire extinguished by QFES.  |
| Calamvale Special School                                       | Fire                | 10/02/2022       | General Learning Area   | Protective Services | N/A                       | Multiple power loss alarms and multiple fire alarms received from site at 1132. Refer to mail out. Contacted site - staff on site state there is an electrical fire in O Block - QFES already called and on their way.<br>School is being evacuated. Damage was confined to an electrical switchboard which caught alight following a short as result of a fault identified as being done during the buildings construction.   |
| Graceville State School  | Burnt Items on Site | 10/01/2022       | General Learning Area   | Protective Services | N/A                       | Patrol report that a small fire had been lit on the veranda of F Block with a plastic tray and a school cap being consumed.  |
| Bellevue Park State School                                     | Arson               | 5/01/2022        | Multiple Blocks         | Keyholder/Staff     | N/A                       | [Redacted] advises - I have made a report today to Qld Police [Redacted] for numerous small fires lit to signage resulting in damage to paintwork and doors in several areas of the school. Samples in pics below. No buildings damaged other than black scorch marks on blockwork.<br>[Redacted] further advises, this morning I have lodged a report with Police Link for a smashed window in Administration ref. [Redacted]   |
| Earnshaw State College   | Burnt Items on Site | 2/01/2022        | General Learning Area   | Protective Services | N/A                       | Protective services officer while on patrol of location noted a McDonalds bag and contents burnt under L block. No damage to building.<br>Follow up report created to contact keyholder and inform them for next morning.  |
| Bellevue Park State School                                     | Arson               | 29/12/2021       | Canteen/Uniform Store   | Protective Services | External structure damage | Patrol officer noted that the plastic canteen sign has had an attempt to set on fire. It is melted and has caused scorching and smoke discoloration to the canteen entry door. Key holder was advised and will attend site, take some photos and make a report to police.  |
| Fitzgerald State School  | Arson               | 22/12/2021       | Amenities               | Keyholder/Staff     | N/A                       | Informant and [Redacted] report 2 incidents onsite.<br>1st - what looks like a Molotov cocktail has been thrown at building, Amenities block 1. The wall has a large burn, smoke mark on wall and broken glass at the bottom. 2nd - a bunch of aerosol canisters have been taped together and set alight.<br>[Redacted] will contact QPS and report incident.  |

|                                   |                     |            |                         |                     |                             |  |
|-----------------------------------|---------------------|------------|-------------------------|---------------------|-----------------------------|--|
| Sunnybank State High School       | Arson               | 21/12/2021 | Multiple Blocks         | Protective Services | Broken Window/Glass/Louvres | Protective Services reported during a patrol at 0840hrs that an attempt had been made to set alight a door to block 3 and several small fires had also been lit in other areas of the school. Damage limited to minor scorching, and was already extinguished when discovered. The Officer also reported they had found Louvres broken in Blocks 2 and 3 as well as a shattered window in the Manual Arts Block. other areas had outside tables turned over. Graffiti was on various blocks including Blocks 1, 2,3, 4 and Amenities.  |
| Loganholme State School           | Arson               | 8/12/2021  | Other                   | Keyholder/Staff     | External Fixtures           | Alarm received from ICT Block Fire Panel at 0251 - 08/12/2021. QFES dispatched. PSG Patrol dispatched. PSG Docket 87155 - Patrol reports break glass alarm found activated on site. QFES advise cannot reset. Break glass isolated. Full internal check completed of I Block. All in order. Staff at school report that upon arrival on site on 08/12/2021 - there is evidence of a fire having been lit in the outdoor kitchen area. The outdoor BBQ and kitchen cupboards were also disturbed, but little damage incurred.   |
| Moranbah East State School        | Arson               | 4/12/2021  | General Learning Area   | Keyholder/Staff     | External structure damage   | 2 Youths aged 12 to 13 years of age set fire to I Block causing some damage to side of building and cracking a window. 2 Persons were detained and assisting police. Staff onsite rang COR and fire service. Message left for s73 - Irrelevant Information   |
| Emerald State High School         | Burnt Items on Site | 3/12/2021  | Canteen/Uniform Store   | Keyholder/Staff     | Grounds Damage              | s73 - Irrelevant Information advises - Occurred overnight 2nd to 3rd December 2021 Upon arrival at school at 5.30am, cleaners witnessed the area between B and C blocks had been littered with toilet paper and milk crates. A small amount of toilet paper had been set alight at the base of the tuckshop door. No damage was caused. The toilet paper was not from our site as it was large rolls that our school does not stock, so this was bought in from another site. Nil alarms activated overnight   |
| William Duncan State School       | Fire                | 30/11/2021 | School Grounds          | Keyholder/Staff     | N/A                         | Keyholder reports Small fire pit made on the basketball courts (Nov 21)  |
| Chancellor State College          | Arson               | 28/11/2021 | General Learning Area   | Keyholder/Staff     | External Fixtures           | s73 - Irrelevant Information reports that over the weekend, 27/11/2021 to 29/11/2021, they have had a fire to SB01 room door in B Block. No fire alarms received by PSCOR.   |
| Rockville State School            | Fire                | 26/11/2021 | General Learning Area   | QFES                | N/A                         | QFES are in attendance for a fire to a hot plate in 1 of the blocks - COR spoke to keyholder s73 - Irrelevant Information who advises - QFES and police are onsite. Nil further details - building not damaged. No alarms received by COR s73 - Irrelevant Information advised at 0838 hrs.  |
| Gordonvale State School           | Minor Arson         | 21/11/2021 | Hall/MPS/Student Centre | Keyholder/Staff     | N/A                         | s73 - Irrelevant Information reports that during the weekend of 20/11/2021 to 21/11/2021, a small fire was set outside the Multipurpose Hall. Perpetrators attempted to burn bunting and posters. No fire related alarms received by PSCOR.  |
| Alexandra Hills State High School | Burnt Items on Site | 20/11/2021 | School Grounds          | Protective Services | Grounds Damage              | s73 - Irrelevant Information advises a fire was set on the concrete near the canteen, no damage caused to the building.  |
| Miles State School                | Arson               | 17/11/2021 | Multiple Blocks         | Keyholder/Staff     | N/A                         | s73 - Irrelevant Information reports that on 17/11/2021, vandalism occurred overnight. Offenders went into Prep Grounds, smashed and pulled wooden garden structures apart. Created a 'note' - We R coming - from pegs located in container in Prep; Created a swastika from garden pavers, pulled plants from garden beds; Burned posters, a student hat and bunting in D Block; Cut bunting outside of D Block; Burned toilet paper in T Block in both girls and boys toilets in then sinks, and burned a sign on then wall, and put toilet paper in urinals; in Ladies and Mens toilet in T Block, toilet cisterns were removed and put into the toilets, toilet paper was put in the toilets and sinks, a tap was turned on and left running in junior boys toilet, soap was spilled in then Ladies toilet and container was thrown in the outside garden bed. No fire related events received by PSCOR.   |
| Eatons Hill State School          | Arson               | 31/10/2021 | Other                   | QFES                | N/A                         | QFES Firecom called COR and advised they were onsite for a report of a fire on the school oval s73 - Irrelevant Information reports the following : Tamping compactors ( fuel caps removed)and wheelbarrow tyres set on fire inside construction area. QFES extinguished fire. ( Eatons Hill Station ) School has camera. Check of school no signs of further damage.  |
| Bwgcolman Community School        | Minor Arson         | 29/10/2021 | Residence               | Private Security    | N/A                         | s73 - Irrelevant Information Garden at back of property was burnt - Teacher advised security that she saw kids there around 1730hrs - fire is now out - Nil further damage.  |
| St George State School            | Arson               | 26/10/2021 | Undercover Area/Walkway | Keyholder/Staff     | N/A                         | s73 - Irrelevant Information reports that on Tuesday 26 Oct at approx. 1900hrs two youths emptied rubbish bins and started a fire under high sheltered roof next to the Canoe Room wall. Fire was contained. No damage to buildings or property. Youths were identified by staff members as: REDACTED REDACTED. Historic report no services dispatched.  |
| Burpengary State School           | Arson               | 18/10/2021 | Multiple Blocks         | Keyholder/Staff     | Grounds Damage              | On Monday 18th October the s73 - Irrelevant Information arrived on site at 4.00am to find a few fires lit around the school. One was in the Senior Amenities Block, the doors have heavy duty grills on them, Offender/s had got hold of a hat or clothing of some description and set fire to the item and threw it into our Amenity block. There was black soot on the vinyl and up the wall slightly. The Offender/s also set fire to other items of clothing around the under cover area outside the amenity block. The Offender/s also set fire to one of our small wheelie bins and that had melted into the concrete. NOTE - Minor fire related damage only - Nil serious fire damage reported to have occurred to any Buildings or other DoE infrastructure. Nil alarms activated in MAS in relation to this Report - No fire alarms reported to PSG-COR - Fire was reported to PSG-COR via e-mail after the fact  |
| Goombungee State School           | Arson               | 9/10/2021  | Amenities               | QFES                | External structure damage   | QFES advise a toilet block on site was on fire - 1 x wall burnt - QFES have put the fire out. QFES advised COR s73 - Irrelevant Information advised.   |
| Gympie West State School          | Arson               | 8/10/2021  | School Grounds          | Keyholder/Staff     | External Fixtures           | s73 - Irrelevant Information advises - We have had two issues of vandalism in the last two nights. The first we had a brick retaining wall smashed in the Prep playground area. The second occurred last evening on the oval a soccer net was set on fire, gardens had plant pulled out and thrown at windows.   |
| Moranbah East State School        | Major Arson         | 3/10/2021  | General Learning Area   | Keyholder/Staff     | Internal Damage             | s73 - Irrelevant Information advises there has been a fire in the Year 1 Block of 4 classrooms - the block has been badly damaged - QFRS attended and QPS detectives are on site treating this fire as Arson at this time. s73 - Irrelevant Information and staff have been advised. AISS Security have been organised to start Security onsite from 1800 hrs on Tuesday 5/10/2021. Original advice from s73 - Irrelevant Information that fire had occurred and requesting AISS. s73 - Irrelevant Information advised.  |
| Tannum Sands State School         | Arson               | 29/09/2021 | Other                   | Keyholder/Staff     | Grounds Damage              | s73 - Irrelevant Information advises all the bins approx 20 in total in their bin storage were set on fire last night - QFES attended. Offenders have also done graffiti on various blocks in Black and Silver spray paint. Message left for s73 - Irrelevant Information  |
| Moranbah East State School        | Arson               | 24/09/2021 | General Learning Area   | Keyholder/Staff     | Internal Damage             | s73 - Irrelevant Information advises s73 - Irrelevant Information is on site with QAS and QPS in regards to fire incident at E Block Annotation @ 25/09/21 05:19:05 by s73 - Irrelevant Information Further details to be advised - unconfirmed at this time whether structural damage to E Block Awaiting further information from Informant Annotation @ 25/09/21 08:36:57 by s73 - Irrelevant Information Advised by s73 - Irrelevant Information s73 - Irrelevant Information (EQ Facilities) - That police attending with QFES to do forensic review of damage in E Block, One staff room and 4 general learning spaces vandalised, and set on fire initial reports advise no structural damage to E Block, internal fire and water damage due to fire and extinguishing. 10 - 12 Weeks to return the 4 GLAs and staffroom will be functional in approx 1 week. Non-reporting location - Nil MAS page for site - Nil signals recieved by PSG-COR in relation to this report. QFS and QPS on site at the time of report. Nil dispatch by PSG-COR s73 - Irrelevant Information (returned call) has been advised - stated that DoE were already aware. |
| Stafford State School             | Minor Arson         | 22/09/2021 | General Learning Area   | Keyholder/Staff     | N/A                         | A pile of leaves was set on fire concrete area quadrangle near B Block - no damage to any buildings. School Staff advised COR of fire. No Services dispatched.   |
| Kedron State High School          | Arson               | 18/09/2021 | School Grounds          | Keyholder/Staff     | N/A                         | s73 - Irrelevant Information reports that on the weekend of 18/09-19-09, mulch was thrown around in a reasonably large area and attempt was made to set it on fire. Plastic container was also found and this too was set on fire. A hose was found to have also been lit.   |
| Kuranda District State College    | Arson               | 17/09/2021 | General Learning Area   | Police              | N/A                         | QPS on site in response to multiple intruder alarms from multiple zones at SD & SM Blocks reported that in addition to a B&E and Graffiti, they also found that Offender/s had attempted to start a fire - some books and a chair show signs of fire damage - Nil damage to any Buildings or other infrastructure ( the fire was in a concrete / block area ). Nil fire damage to any Buildings or other infrastructure. No fire detection devices were activated - Nil smoke or flame detectors present in the area. Fire had burnt out prior to discovery - Nil Dispatch required. QPS on site stated that they would contact the s73 - Irrelevant Information directly - Follow-up Reminder set for PSG-COR to make contact at 0700 hrs on 18/09/2021.  |



|  |                     |            |                       |                     |                      |   |
|--|---------------------|------------|-----------------------|---------------------|----------------------|---|
| Buddina State School                     | Major Arson         | 14/02/2021 | Amenities             | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information reports that the damage that was found this morning by cleaners and groundsman, occurred between 6pm Friday 12th Feb and 4am Monday 15th February. Access was gained to the Female staff toilets in Amenities A, the rubbish bin was set alight and melted into the floor, other sticks were located around the area but not set alight. 673 - Irrelevant Information has cleaned area.  |
| Bundaberg South State School             | Burnt Items on Site | 10/02/2021 | School Grounds        | Keyholder/Staff     | N/A                  | School Fence (George St) - section of fencing - leaves burnt along fence line - by unknown person who set the leaves on fire. Nil structural damage to the school   |
| Oonoomba State School                    | Fire                | 30/01/2021 | School Grounds        | Public              | N/A                  | Informant advises when passing the school they have seen a stump on fire on the school grounds.   |
| Dunwich State School                     | Fire                | 21/01/2021 | School Grounds        | Keyholder/Staff     | N/A                  | Flares were found. One had been left off and left a burn mark in the front of a wooden stage box, one was located on the school oval and another was discovered this morning, Thursday 21st January, 2021 under a demountable classroom. The flare had dry grass pushed into it.  |
| Stafford State School                    | Minor Arson         | 20/01/2021 | Other                 | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information advised some scorching was found outside the Qld Sport Office Support Centre.  |
| Mareeba State School                     | Fire                | 19/01/2021 | General Learning Area | Keyholder/Staff     | N/A                  | As part of a vandalism event staff found a burnt cup in the sink near Z Block. Refer Occ 00496/21. No services dispatched.  |
| Mudgeeraba State School                  | Fire                | 9/01/2021  | General Learning Area | Private Security    | N/A                  | 673 - Irrelevant Information advised Oshea building is confirmed B/E. Lots of smoke in the room on arrival but no signs of fire. Inside of building is trashed and it appears a small fire may have started above the projector as there is burn marks on the ceiling above it.   |
| Stafford State School                    | Fire                | 4/01/2021  | School Grounds        | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information advised that a small fire had been lit in the fort area of the playground on a previous date (date not specified).   |
| Yugumbir State School                    | Minor Arson         | 2/01/2021  | General Learning Area | Protective Services | N/A                  | Protective Services, responding to a School Watch report, reported minor scorch marks were found on the port rack outside block 7.  |
| Yugumbir State School                    | Minor Arson         | 2/01/2021  | Canteen/Uniform Store | Protective Services | N/A                  | Protective Services reported during a patrol at 0109hrs that a burnt piece of paper was found near the canteen. Bins were also found on roof areas and benches were found rearranged outside the canteen. Rubbish was also found in the area.   |
| Salisbury State School                   | Fire                | 1/01/2021  | School Grounds        | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information called to advise youths onsite starting fires. One has been started on admin steps heading towards oval. The other was a shirt ignited and left near grandstand. 2 x youths have also been seen on grounds several times. A youth has been identified as a former student known to the school, the other is not known. 2x police reports have been put in by staff onsite. Request for patrol to be around 0400. Nil entries associated to this report. Nil dispatch, QFES authorities already contacted by staff.   |
| Caloundra State School                   | Minor Arson         | 31/12/2020 | Administration        | Private Security    | N/A                  | Private Security reported during a patrol at 1146hrs that a basket was found burnt near the Administration.   |
| Mooloolaba State School                  | Minor Arson         | 28/12/2020 | General Learning Area | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information advised paper and clothes had been set alight in a water trough at C block. Minor scorching on the timber above the trough.  |
| Mooloolaba State School                  | Minor Arson         | 23/12/2020 | School Grounds        | Private Security    | N/A                  | Private security reported during a patrol at 1456hrs that a burnt book was found in the stairwell of D block, and chairs were found strewn around the outdoor area.   |
| Yugumbir State School                    | Minor Arson         | 23/12/2020 | School Grounds        | Protective Services | N/A                  | Protective Services reported during a patrol at 2141hrs that burnt pieces of paper were found near the canteen/uniform shop.  |
| Sunnybank State High School              | Fire                | 16/12/2020 | School Grounds        | Other               | N/A                  | QBuild working between blocks 1 to 4 at the school have had some wooden studs charred overnight - someone has tried to set fire to them - they are on the ground for wheelbarrows to run over when contractors are working, nil other damage - appears teens or similar have had a party or similar. QBuild will contact client services re extra patrols and have also rung QPS.   |
| Yarrabah State School - Secondary Campus | Fire                | 5/12/2020  | School Grounds        | Private Security    | N/A                  | AISS Security reported a small fire was seen on the grounds behind the teacher residences. The fire was extinguished by the officer, who reported a vehicle was seen leaving the area. No details for the vehicle were recorded.  |
| Thornlands State School                  | Fire                | 4/12/2020  | School Grounds        | Protective Services | N/A                  | Protective Services reported during a patrol at 2319hrs that the lid of a skip bin on site had melted from an apparent fire. There was water around the area and the fire had extinguished at the time of the report.   |
| Rockhampton State High School            | Arson               | 30/11/2020 | Resource/Library      | Other               | N/A                  | State Wide Monitoring received multiple alarms from the library and dispatched Patlaw Security who report a break and enter and a smell of smoke in the building. 673 - Irrelevant Information was advised. QPS were also called by a 673 - Irrelevant Information of the school at 2153hrs to say there was a fire on site from the Library. QPS advise books against a wall were set on fire and there is damage/vandalism in the library as well. QFES attended and extinguished the fire - extent of the damage is not known as yet, there was extinguishers used and smoke damage. Scenes of crime staff yet to attend. CCTV footage has been checked and 2 x youths were seen entering the library. 673 - Irrelevant Information later report a box of old books to set to life line had set alight in a corner of the library and some minor scorching and carpet was damaged. The 673 - Irrelevant Information had also found a bottle on the oval which exploded on approach and the school based police officer. 673 - Irrelevant Information attended the oval. SOC of crime had not attended at the time of the last report received. |
| Gympie West State School                 | Fire                | 25/11/2020 | General Learning Area | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information advises that overnight persons unknown have set an industrial bin alight at the rear of D Block. This was discovered by 673 - Irrelevant Information who contacted QFES who attended and extinguished the fire. No structural damage is noted. QFES contacted by 673 - Irrelevant Information. No services dispatched by COR.  |
| Kalamia State School                     | Fire                | 21/11/2020 | General Learning Area | QFES                | N/A                  | QFES Comms advise they were called to Kalamia SS for a cardboard boxes being set on fire on the roof of the school. Both QFES and QPS attended site and the fire was put out by staff - QPS apprehended 1 x offender and this person was taken into custody. QFES Comms advise - Nil damage to any of the schools buildings. Phone message left for the 673 - Irrelevant Information and Admin Officer by COR. Not a monitored site.  |
| Golden Beach State School                | Arson               | 18/11/2020 | Canteen/Uniform Store | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information advises Fire (Tuckshop UCA), Sewerage pump (UCA back wall) and Fire Hose Reel (Amen 2K) damages which happen on Tuesday Night 17/11 and was found Wednesday 18/11 at 4:30am. Policelink report ref# 673 - Irrelevant Information and QBuild Ref#16493944, the fire left scorch marks on the concrete outside the tuckshop. There was damage to the hose reel and fire equipment on site. Nil alarms received by COR.   |
| Aitkenvale State School                  | Fire                | 11/11/2020 | Other                 | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information reports at 8:45am this morning outside our boundary fence located near our back-oval near Elizabeth Street. The fire department was called as a grass fire approx 30-40m wide was occurring on a grass embankment outside our boundary fence. The fire not enter our grounds. Fire department attended and fire was extinguished.  |
| Normanton State School                   | Fire                | 11/11/2020 | General Learning Area | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information reports fires were attempted to be lit, or were lit, on B block, causing bubbling paint and damaged seat surfaces. A cane toad was burned and left near the stairs. The area smelled strongly of petrol. A sprinkler and hose on school grounds were also set alight.  |
| Wellers Hill State School                | Fire                | 9/11/2020  | General Learning Area | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information reports that over the weekend there has been illegal activity in S Block. Unknown persons have jumped the railings and gained access to the lower level alcove. They have lit small fires and have left drug paraphernalia. No damage has been caused to the building structure. There was an alarm activation in C Block. Patrol issued but no cause found on 07/11/2020 2:30am.  |
| Browns Plains State High School          | Fire                | 4/11/2020  | Other                 | QFES                | N/A                  | QFES Comms contacted COR requesting access to school grounds in order to put out fire in the grassland on border of school. Doc #67661 673 - Irrelevant Information advised - Fire was on border of school and council land, Fire officer believes it was deliberate. No damage to school, put out by QFES.   |
| Burnside State High School               | Fire                | 2/11/2020  | School Grounds        | Keyholder/Staff     | N/A                  | 1 x grey bin found to have been set alight outside WW1. Nil report of any other fire damage to any other school property or infrastructure. Nil signals received in MAS in relation to this Report - Nil fire alarms activated  |
| Middle Park State School                 | Fire                | 1/11/2020  | School Grounds        | Keyholder/Staff     | Grounds Damage       | 673 - Irrelevant Information reports that several holes have been burned into the astro turf on site.   |
| Laidley State High School                | Fire                | 29/10/2020 | Manual Arts           | Keyholder/Staff     | N/A                  | At 1307 hours PSCOR received fire alarm from T Block Manual Arts. PSCOR contacted school administration and was connected to 673 - Irrelevant Information. While in discussion, the Laidley SHS administration staff received a call from a staff member confirming a fire in G Block. 1309 hours QFS 000 contacted to attend. PSCOR received a phone call from QAS comms advising they had been contacted by QFS Comms and were attending site. 1327 hours restore signal received from T Block 673 - Irrelevant Information advised the QFS, QAS and QPS were onsite at approx. 1319 hours and offsite at 1336. The fire was in room G7 caused by a laser cutter igniting. The fire was extinguished by a staff member. Damage has been sustained to the laser cutter and the wall behind. No other damage or injuries reported.  |
| Burnside State High School               | Fire                | 27/10/2020 | School Grounds        | Keyholder/Staff     | N/A                  | 27/10/2020 - 2 x wheelie bins found to have been set alight - both bins from outside Library L19. Nil report of any other fire damage to any other school property or infrastructure. Nil signals received in MAS in relation to this Report - Nil fire alarms activated.   |
| Bwgcolman Community School               | Fire                | 23/10/2020 | School Grounds        | Private Security    | Grounds Damage       | PS officer observed a few kids lighting small fires at four different places in the school ground boundary and went to intercept. The kids left the school grounds. This was reported to PS supervisor who attended with vehicle and parked on the oval. Fires extinguished with rocks. Youths were also throwing rocks at PS vehicle, names provided and they live close to school. At 20:29 further advised that a group of children were lighting fires on the boundary of the school (4 little fires in total) behind the Hall and around the oval. PS chased them from school grounds and they ran into the creek that backs onto the school boundary. Whilst on patrol PS went to the school and saw this group was trying to re-enter the grounds. Youths decamped on approach and ran to the creek before crossing on to Butler Bay Road and started throwing rocks at PS vehicle. Incident reported to Police.   |
| Buddina State School                     | Burnt Items on Site | 18/10/2020 | General Learning Area | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information reports that on Monday, 19th October morning when school officer and cleaners arrived on site, approx. 6am they discover an area outside of Teaching Block 8 on the concrete apron, that a jumper and a hat and other items had been burnt on the concrete. There was also evidence of burn marks on the wall of block 8 on the aluminium siding. The cleaners and schools officer removed the burnt items and cleaned the area up as much as possible. It is believed to have occurred between Friday afternoon and Sunday morning.   |
| Browns Plains State High School          | Fire                | 29/09/2020 | School Grounds        | Protective Services | N/A                  | Grass fire at rear of school. 1645hrs - Following a call from QFES 673 - Irrelevant Information provided access to QFES unit. Oncoming patrol to relocate gates after QFES leave. D/n 69460 refers.   |
| Crestmead State School                   | Fire                | 5/09/2020  | School Grounds        | QFES                | N/A                  | At 0307 Hrs QFS advised that they were attending to a 673 - Irrelevant Information call for a fire at the rear of the school. QFS advised that a shared Neighbour/School fence had been set alight & was extinguished by QFS before patrol officers arrived Photos has been placed in the COR Fire Folder   |
| Thuringowa State High School             | Fire                | 1/09/2020  | General Learning Area | Keyholder/Staff     | N/A                  | 673 - Irrelevant Information advises small smouldering electrical fire in 1 of the blocks - area evacuated and QFES called - no alarms received and no damage to the block - evacuation as a precaution only. 673 - Irrelevant Information called back a - light had shorted out - all OK now.  |
| Indooroopilly State School               | Fire                | 29/08/2020 | School Grounds        | Protective Services | Playground equipment | Playground equipment burnt - As per Occ 05153/20 - 673 - Irrelevant Information discovered prep area playground equipment burnt while on patrol, still smouldering. Keyholders advised and attending. The burnt piece was a blue merry-go-round type sitting possibly 4 children. It was located in the prep playground behind D Block. Took up with 673 - Irrelevant Information prior to departure who took control of the situation and would contact QFS and QPS. Full patrol done. No other damage found.  |
| Bellevue Park State School               | Fire                | 25/08/2020 | Canteen/Uniform Store | Keyholder/Staff     |                      | Evidence of several small fires being lit over the past weekend. The fires were lit in the undercover area near the tuckshop and there was also evidence of an exploded Rexona spray can. Police report raised: 673 - Irrelevant Information  |
| Everton Park State School                | Fire                | 23/08/2020 | Shed (Various use)    | Keyholder/Staff     | External Fixtures    | Over the weekend of 22-23 August someone come onto the school grounds and lit a small fire on rubber matting in the area known as the Shed which is centrally located. The scorch mark is about a meter by a meter in size. No structural damage was caused to any buildings. Police have been advised & no alarms were received by the COR   |
| Goondiwindi State High School            | Fire                | 18/08/2020 | School Grounds        | Keyholder/Staff     | Grounds Damage       | A group of youths have been spotted lighting leaves on fire along the school fence line. Incident has been reported to QPS. 673 - Irrelevant Information Nil dispatch by PS, reported after the fact.   |

|  |             |            |                         |                     |                           |   |
|--|-------------|------------|-------------------------|---------------------|---------------------------|---|
| Golden Beach State School                | Fire        | 17/08/2020 | School Grounds          | Keyholder/Staff     | N/A                       | s73 - Irrelevant Information reports that the Cleaners found a school hat (green with wide brim) with the crown having been burnt out - also observed were a small circular scorch mark on the concrete where it appears that Unknown Person/s set the hat upside down on the ground a set a fire inside it. Nil report of any other damage to school property or infrastructure - the fire had burnt itself out prior to discovery and nil Dispatches (nil QFES etc) were required. s73 - Irrelevant Information states that the school continuously has unauthorised persons using school oval, tennis courts for personal use on a daily basis eg soccer / dog walking etc. Report only - recieved via email after the fact - Nil Dispatches by Staff or by PS(COR).   |
| Narbethong State Special School          | Fire        | 16/08/2020 | Resource/Library        | Protective Services | N/A                       | s73 - Irrelevant Information reports several, approximately four small fires which have burnt themselves out under library. Nil building damage, fires were on the ground   |
| Springwood Road State School             | Fire        | 14/08/2020 | Prep Block              | Keyholder/Staff     | Broken external furniture | s73 - Irrelevant Information reports that several unknown kids set fire to a bench seat near the Prep building She states that there as a loud bang and neighbours attended who put out the fire. Kids were believed to have run off up Springwood Road towards the High School. Patrol reports a small amount of damage to park bench table top.   |
| Narbethong State Special School          | Fire        | 9/08/2020  | Undercover Area/Walkway | Keyholder/Staff     | N/A                       | We have had intruders on the school premises over the weekend. They had fire starters and set alight notice holders on the walls at the back of the school (ground level), a witches hat on the oval was burnt and they left unused fire starters on the walkway of A Block. We have evidence that they were chroming on the premises   |
| Tagai State College - Horn Island Campus | Fire        | 26/07/2020 | School Grounds          | Keyholder/Staff     | Playground equipment      | s73 - Irrelevant Information advises that on Sunday morning at approx 0300hrs a fire was started in the bushland outside the school ground which soon spread through the fence line and damaged school property. The following areas were damaged: part of kindergarten playground, the kindergarten fence line (melted), storage shed and the underground watering system.   |
| Caloundra State School                   | Fire        | 25/07/2020 | School Grounds          | Keyholder/Staff     | N/A                       | s73 - Irrelevant Information reports that four fires were lit over the weekend. Two fires in the Junior covered area and 2 fires in the Senior covered area. The s73 - Irrelevant Information advised police on Saturday, 27 July 2020. The fire seems to have been light from paperwork that was hanging outside of the prep area and some timber.   |
| Cherbourg State School                   | Fire        | 20/07/2020 | School Grounds          | Keyholder/Staff     | N/A                       | Over the last week (No dates given) Fire lit inside the "porci" playground last weekend and this weekend - causing plastic and rubber damage.   |
| Cherbourg State School                   | Fire        | 20/07/2020 | Hall/MPS/Student Centre | Keyholder/Staff     | N/A                       | Over the last week (No dates given) Fire lit behind the dining hall, inside the fenced enclosure near the motor for the cool room.  |
| Cherbourg State School                   | Fire        | 15/07/2020 | School Grounds          | Keyholder/Staff     | N/A                       | QFS Contacted. Grass fire on the lower oval emergency services were called.   |
| Pimlico State High School                | Arson       | 5/07/2020  | General Learning Area   | QFES                | N/A                       | QFES reported at 1314hrs they had been contacted by a member of the public about smoke coming from the school grounds, and upon arrival found the new block under construction had foliage pushed against it which was then set alight. s73 - Irrelevant Information was notified and attended, confirming no damage was caused to the building.  |
| Pacific Pines State School               | Arson       | 21/06/2020 | School Grounds          | Private Security    | N/A                       | SMA Security reported during a patrol at 1155hrs that a wheelie bin had been set alight outside Banksia Block. The fire had self-extinguished at the time of the report.  |
| Pacific Pines State High School          | Minor Arson | 21/06/2020 | Staff Room              | Private Security    | N/A                       | SMA Security reported during a patrol at 1137hrs that perspex was burnt outside a door at staff room 2.   |
| Pacific Paradise State School            | Minor Arson | 16/06/2020 | School Grounds          | Keyholder/Staff     | N/A                       | s73 - Irrelevant Information advised burn marks were found on the basketball court and on the oval in front of the green shed.  |
| Tannum Sands State High School           | Arson       | 9/06/2020  | School Grounds          | Keyholder/Staff     | N/A                       | s73 - Irrelevant Information advised 2x wheelie bins had been set alight in the meeting hut. A bicycle (owner unknown) was also burnt by the fire.  |
| The Gap State High School                | Fire        | 28/05/2020 | Hall/MPS/Student Centre | Keyholder/Staff     | N/A                       | Protective Services monitoring received a Fire Alarm from the Assembly Hall fire panel at 1332hrs and contacted the Administration. Staff advised a fire was active in the Assembly Hall and that QFES were required to attend. s73 - Irrelevant Information advised that the Fire was caused by a power point which had burnt out from the Stage Lights and that the flames burnt out prior to QFES arrival on site. The electrical components have been made safe (with the Switch Board having been shut down for the night) until repairs could be conducted. The s73 - Irrelevant Information advised damage occurred to a Boom Gate when QFES drove through it in the course of responding to the alarm.  |
| Fig Tree Pocket State School             | Fire        | 27/05/2020 | Canteen/Uniform Store   | Keyholder/Staff     | N/A                       | s73 - Irrelevant Information advised persons had created a small fire in the area of the canteen.   |
| Norfolk Village State School             | Minor Arson | 19/05/2020 | School Grounds          | Keyholder/Staff     | N/A                       | male youths entered the grounds and lit a fire using a rubbish bin and cardboard/wrap found on school grounds.  |
| Coorparoo State School                   | Minor Arson | 18/05/2020 | Amenities               | Keyholder/Staff     | N/A                       | s73 - Irrelevant Information advised a Baseball hat was found burnt inside staff toilets.   |
| Fig Tree Pocket State School             | Fire        | 11/05/2020 | Canteen/Uniform Store   | Keyholder/Staff     | N/A                       | s73 - Irrelevant Information advised persons had created a small fire in the area of the canteen. Broken bottles were also found.   |
| Grovely State School                     | Fire        | 10/05/2020 | Canteen/Uniform Store   | Protective Services | N/A                       | On arrival for routine patrol Protective Services Officer was met by Police who had been dispatched from reports of a fire onsite by neighbours. QFES had already attended and left site after extinguishing a small wheelie bin fire at the rear of the canteen. Wheelie bin was burned to the ground, no other damage. No persons found onsite.   |
| Eagleby South State School               | Arson       | 22/04/2020 | School Grounds          | QFES                | External structure damage | Patrol officer advises that QFES had been on site for a small jerry can that had been set alight on the concrete at the front of the C&K kindergarten on school grounds. QFES advised that on arrival they put the fire out. There was a small amount of scorching on some bamboo fence dressing at the front of the school, no buildings were damaged. The informant who rang QFES is the mother of the offender, who was present when the QFES arrived, and admitted setting the jerry can on fire to the officers on the scene. QFES contacted QPS, who arrived, and were making further enquiries, as the offender had absconded before Police and Protective Services arrived.   |
| Watson Road State School                 | Minor Arson | 20/04/2020 | Hall/MPS/Student Centre | Keyholder/Staff     | Grounds Damage            | On the morning of 20 Apr 20 the s73 - Irrelevant Information found evidence of 2 small fires - one on the ground butting the hall walls and one in the garden area along the wall of the hall. These fires were both around 45cm round and appeared to be made from burning sticks and leaves. There was no damage to the building.   |
| Eagleby South State School               | Minor Arson | 10/04/2020 | General Learning Area   | Protective Services | N/A                       | While attending this site for a school watch report, patrol officers discovered evidence of a number of small fires having been lit. Attempts had been made to set fire to a wheelie bin at D block, and the Canteen notice board. All fire had burnt out, and were fully extinguished.   |
| Everton Park State High School           | Fire        | 9/04/2020  | School Grounds          | QFES                | N/A                       | QFES Comms called to alert there was a Mulch fire approx. 20m from 20m. Location. Near the lower part 100m from Stafford road near the construction.  |
| Park Ridge State School                  | Minor Arson | 9/04/2020  | School Grounds          | Protective Services | N/A                       | Patrol Officer on arrival on site observed a male person near the courts where the groundsman has piles of leaves, which were smouldering. Officer believes that this person was in the process of stoking this fire when he realised he had been observed. Police were advised by the officer, and arrived on site at 0000 hrs. By this time, the male had realised he had been observed, and he stomped out the fire, and left the grounds.   |
| Windaroo Valley State High School        | Fire        | 6/04/2020  | School Grounds          | Keyholder/Staff     | N/A                       | On 25th April 2020, s73 - Irrelevant Information reported to s73 - Irrelevant Information via email, that unknown person/s had set fire to some fencing materials that were meant to be installed at the school. The incident is believed to have occurred between the fifth and the ninth of April. There is no information to indicate that QFES attended, and at the time of report, it is not clear by what means the fire was extinguished, or (whether it simply burnt itself out). The Protective Services Central Operations Room did not receive any alarms from the fire or security systems, and did not receive any report or information to indicate that there was anything amiss at the school during those dates. There is no report of any other damage (fire related or otherwise), to assets or infrastructure other than the fencing materials. The materials damaged are described as fencing panels, and the total cost of the damage is estimated to be \$4600 plus GST. s73 - Irrelevant Information has reported the damage to police- reference number s73 - Irrelevant Information |
| Bald Hills State School                  | Arson       | 27/03/2020 | General Learning Area   | Keyholder/Staff     | External fixtures         | s73 - Irrelevant Information advises that there has been some vandalism in the school during the night. Several fires have been lit outside the Prep Classrooms (L Block), which have melted a couple of chairs to the concrete. Police were notified and have attended the school to take photos.  |
| Tannum Sands State High School           | Arson       | 23/03/2020 | School Grounds          | Keyholder/Staff     | External fixtures         | Wheelie Bin set on fire, bin completely destroyed.  |
| Gracemere State School                   | Minor Arson | 16/03/2020 | School Grounds          | Keyholder/Staff     | N/A                       | Sometime over weekend 13/03-16/03, Someone has entered the grounds and taken the mops from outside the toilets and burnt them behind the shed on the oval.  |
| Mornington Island State School           | Fire        | 13/03/2020 | Other                   | Private Security    | N/A                       | On 13/3/20 at 0530 HRS, AISS Officer s73 - Irrelevant Information was conducting a patrol around the school grounds when he noticed that one of the palm trees along the front fence was smouldering, as if recently on fire. As it had just rained about 10 minutes prior he suspected that some form of accelerant may have been used. He approached the tree and noticed 2 boys outside school grounds. Asked if they had anything to do with the fire, they refused to give their names and said they did not light the fire, before decamping west down Lardil St. Officer s73 - Irrelevant Information then proceeded to douse the embers with water at 0550 HRS.   |
| Strathpine State School                  | Arson       | 8/03/2020  | General Learning Area   | Keyholder/Staff     | External structure damage | On 13/3/20 at 0530 HRS, AISS Officer s73 - Irrelevant Information was conducting a patrol around the school grounds when he noticed that one of the palm trees along the front fence was smouldering, as if recently on fire. As it had just rained about 10 minutes prior he suspected that some form of accelerant may have been used. He approached the tree and noticed 2 boys outside school grounds. Asked if they had anything to do with the fire, they refused to give their names and said they did not light the fire, before decamping west down Lardil St. Officer s73 - Irrelevant Information then proceeded to douse the embers with water at 0550 HRS.   |
| Yeronga State School                     | Minor Arson | 22/02/2020 | Other                   | Protective Services | N/A                       | Sometime between 0248-0630hrs 08/03 someone has tried to set fire to G block. Large burn marks on door of G block, appears someone has placed flammable object at the base of the door. The door did not ignite, appears to be resistant to fire.   |
| Woodcrest State College                  | Fire        | 19/02/2020 | Hall/MPS/Student Centre | QFES                | N/A                       | Protective Services reported during a patrol at 0349hrs that evidence of a small fire from newspaper had been found near the entry stairs to the old dental clinic.   |
| Dalby State High School                  | Fire        | 7/02/2020  | General Learning Area   | Keyholder/Staff     | N/A                       | QFES are on site and report smoke and an electrical burning smell in the hall.  |
| Boondall State School                    | Fire        | 12/01/2020 | School Grounds          | Other               | N/A                       | Fire in Room C08 C Block. At 1541 Hrs Staff were contacted about a power alarm from Expander 4 & 7. Staff advised that QFS were on attending to a fire in C Block Room C08. At 1650 Hrs s73 - Irrelevant Information was contacted & he advised that a fire had started when a fan shorted out. QFS were called by school staff but the fire was extinguished by staff before they arrived. Power has been isolated to C Block until electricians can repair. Damage was contained to scorching on 1 wall, smoke damage on the ceiling & water damage to the carpet.  |
| Gracemere State School                   | Minor Arson | 11/01/2020 | General Learning Area   | Private Security    | N/A                       | s73 - Irrelevant Information advised at 1348hrs whilst onsite that he had contacted QFES to extinguish a mulch pile that was seen smouldering.  |
| Calliope State School                    | Fire        | 16/12/2019 | School Grounds          | Keyholder/Staff     | Grounds Damage            | CFT Security reported during a patrol at 0915rs that palm fronds had been placed on upturned bins under A block, and showed signs of having been set alight. s73 - Irrelevant Information confirmed that other items underneath (possibly rubbish) also appeared to have been burnt.  |

|   |      |            |                       |                 |                   |   |
|---|------|------------|-----------------------|-----------------|-------------------|---|
| Talara Primary College                                    | Fire | 7/12/2019  | School Grounds        | QFES            | External Fixtures | QFES Comms report that a wheelee bin fire has been extinguished by QFES on site. Fire Crew attended following a report of a fire on site from a member of the Public. QFES further advises that the responding crew had to cut a padlock to gain entry to the grounds.  |
|   |      |            |                       |                 |                   | s73 - Irrelevant Information reports the school has evacuated Because of a scrub fire at the back of P Block. QFES is onsite.<br>9/12/2019<br>s73 - Irrelevant Information reports a fire broke out in one of the College gardens around 1.30pm on 06 December. Some quick thinking staff, after smelling the smoke, used fire extinguishers to put out the fire until the Queensland Fire Service arrived to fully extinguish the fire and cool the area down to prevent the fire from flaring up again. Students evacuated safely to the Assembly point and there was no damage to any of the buildings as a result of the fire. The complete extent of damage to the garden area is yet to be established but at this stage it will be some new plants and possibly turf to part of the grassed areas near the garden. An investigation was undertaken by members of the Executive team on Friday afternoon and today with the outcome being two students were involved in deliberately lighting the fire. They have been dealt with by s73 - Irrelevant Information and school disciplinary action undertaken. Plenary were also notified on Friday of the incident and a site meeting is arranged for tomorrow to inspect the damage to the garden area. |
| Bellbird Park State Secondary College                     | Fire | 6/12/2019  | School Grounds        | Keyholder/Staff | N/A               |   |
| Aitkenvale State School                                   | Fire | 25/11/2019 | School Grounds        | QFES            | N/A               | QFES Comms contacted COR to advised they were attending to a fire on the oval. s73 - Irrelevant Information advised. QFES comms rang back to further advised QPS were also attending as there was a group of youths on the grounds sniffing from aerosol cans and 1 had exploded causing the fire. s73 - Irrelevant Information advised of this.  |
|   |      |            |                       |                 |                   | s73 - Irrelevant Information advises We had 3 youths light a fire behind the multipurpose courts yesterday afternoon around 1:40pm, luckily staff were on site and called the fire brigade who came and put it out without any significant damage.  |
| Mansfield State High School                               | Fire | 24/11/2019 | School Grounds        | Keyholder/Staff | Grounds Damage    |   |
|   |      |            |                       |                 |                   | On the morning of Monday 18 November, the contractor from FKG arrived at site and smelt a strong smoke smell. They then found an area on Level 4 of L Block that had been on fire but only smouldering. There were extinguishers near the incident area and a large amount of damage to the makerspace/robotics area. Staff identified wall and support column at location of fire are charred . Lighting was melted. Additionally, concrete was poured into a water fountain in the same building, destroying it.  |
| Queensland Academy for Science Mathematics and Technology | Fire | 18/11/2019 | Other                 | Other           | Internal Damage   |   |
| Bluewater State School                                    | Fire | 16/11/2019 | School Grounds        | Keyholder/Staff | N/A               | s73 - Irrelevant Information reported evidence was found of 2x attempts to light fires in the grounds. Sanitary pads and plants were set alight against a wall and a basket belonging to the C&K containing paper and shoes was set alight on the ground of the main concrete area, causing scorching to the ground and ceiling. A s73 - Irrelevant Information had alerted QFES and QPS who had attended and extinguished the fire at the time of the occurrence. NAP have taken a trolley full of plastic and glass bottles from the C&K to the undercover parade area, and set fire to it. No damage has been caused to the building other than burnt plastic on the concrete. QFES have already attended site and the fire has been put out.  |
| Bluewater State School                                    | Fire | 16/11/2019 | School Grounds        | Keyholder/Staff | Grounds Damage    |   |
|   |      |            |                       |                 |                   | At 1415 a s73 - Irrelevant Information sitting in a classroom in the Music Block heard a bang from room M007. She made entry and identified a small fire on the switchboard in the room. QFS were called. Energex attended and power was shut off to the block. QBuild attended with the response of SJD Electrical being waited on at the time of the call. No structural damage occurred just smoke stains.   |
| Bundamba State School                                     | Fire | 15/11/2019 | Music                 | Keyholder/Staff | N/A               |   |
| Mansfield State High School                               | Fire | 15/11/2019 | Manual Arts           | Keyholder/Staff | N/A               | s73 - Irrelevant Information advises that this morning a Laser cutting machine in the Manual Arts Building (H Block) caught fire. Staff were able to extinguish the fire with a hand held extinguisher and there is no damage to the building.  |
|   |      |            |                       |                 |                   | s73 - Irrelevant Information advises - I have reported an incident with Police Link which took place at the front of our school this afternoon at approximately 4.15pm. Two of our ex-students were found by one of our teachers to be lighting a fire. The teacher approached the students to speak to them about what they were doing. She then ensured the fire was put out with water. The students names are s47(3)(b) - Contrary to the Public Interest. surname will be confirmed tomorrow with the s73 - Irrelevant Information   |
| Burleigh Heads State School                               | Fire | 13/11/2019 | School Grounds        | Keyholder/Staff | N/A               |   |
|   |      |            |                       |                 |                   | s73 - Irrelevant Information reports vandalism occurred over the weekend 9-10 Nov 2019 - Staff found burn marks on the concrete near the L6 Music Room.   |
| Holland Park State School                                 | Fire | 11/11/2019 | General Learning Area | Keyholder/Staff | Grounds Damage    |   |

|                               |       |            |                         |                  |                           |   |
|-------------------------------|-------|------------|-------------------------|------------------|---------------------------|---|
|                               |       |            |                         |                  |                           | 573 - Irrelevant Information contacted by PS(COR) and was already on site, reported that the Fire Pump was running and burning oil was the cause of the fire - 573 - Irrelevant Information advises QFES attending.   |
|                               |       |            |                         |                  |                           | Sequence of events:<br>1030 HRS - COR received phone call from 573 - Irrelevant Information RE alarm for fire hydrant running<br>1032 HRS - COR contacted 573 - Irrelevant Information who advised he was on site dealing with a fire, QFES had already been contacted<br>1039 HRS - COR received phone call from QFES comms advising of oil fire on top of diesel pump, requested area be cleaned to prevent further fires occurring.  |
| Coomera State School          | Fire  | 10/11/2019 | School Grounds          | Keyholder/Staff  | N/A                       |   |
|                               |       |            |                         |                  |                           | 573 - Irrelevant Information from Gordonvale station advises they attended the site and have put out a fire inside of a Bin using BCP. The fire was located outside the junior secondary office near the admin block. 573 - Irrelevant Information advises the school may need to check the power points located near that area that they are safe. Other than damage to the bin no other damage has been caused to the site.   |
| Gordonvale State High School  | Fire  | 10/11/2019 | School Grounds          | QFES             | External Fixtures         |   |
|                               |       |            |                         |                  |                           | Kids lit a fire near the school veggie garden, security managed to put the flames out with the hose from the hall. Fire put out by security 573 - Irrelevant Information (ph) 573 - Irrelevant Information  |
| Bwgcolman Community School    | Fire  | 3/11/2019  | School Grounds          | Private Security | N/A                       | Report states a small pile of leaves is the fuel source.  |
| Rochedale State School        | Fire  | 29/10/2019 | General Learning Area   | Keyholder/Staff  | N/A                       | 573 - Irrelevant Information advises of a small fire and broken lighters found Tuesday morning 29 October in the older part of the school. 573 - Irrelevant Information advises that on the night of Monday 28 Oct 19 a pile of palm leaves had been gathered into a pile on the concrete seating outside the northern side of D Block and then set alight. No damage was caused by this fire which appears to have burnt out of its own accord.  |
| Gordonvale State High School  | Fire  | 28/10/2019 | General Learning Area   | Keyholder/Staff  | Grounds Damage            |   |
|                               |       |            |                         |                  |                           | 573 - Irrelevant Information advises that 2 small fires has been set on the walkway at C block using paper and school clothing (lost property).   |
| Calliope State School         | Fire  | 24/10/2019 | General Learning Area   | Keyholder/Staff  | N/A                       |   |
|                               |       |            |                         |                  |                           | 573 - Irrelevant Information reports Staff having found on Monday 14/10/2019 a deodorant flame thrower with burnt sock and burnt debris under the building.   |
| Toowong State School          | Fire  | 14/10/2019 | General Learning Area   | Keyholder/Staff  | N/A                       |   |
|                               |       |            |                         |                  |                           | 573 - Irrelevant Information reports Staff having found burnt school uniform items - reported by Cleaners and Teacher (8 Oct) and Teacher Aide (9 Oct). A school uniform hat was found burnt at the Lower Area 2 Playground. Rocks and burnt residue were found at the Outdoor Theatre Complex. A burnt school Jumper was found on the Oval near the PE container.  |
| Holland Park State School     | Fire  | 9/10/2019  | Multiple Blocks         | Keyholder/Staff  | N/A                       |   |
|                               |       |            |                         |                  |                           | 573 - Irrelevant Information was able to advise that at approx. 1900hrs 07 Oct a male was seen on school CCTV to break a window to one of the two Block 5 classrooms, it is believed that he then used an accelerant to start a fire in that room. It appears that the fire did not take to the building structure and remained smouldering. Cleaners first noticed the broken window when they arrived for work on the morning of 08 Oct. A caretaker extinguished the remaining fire with a hand held extinguisher.     |
| Karalee State School          | Arson | 7/10/2019  | General Learning Area   | Keyholder/Staff  | External structure damage |   |
|                               |       |            |                         |                  |                           | Fire on site at B Block - QFES reported attending following numerous calls from Neighbouring Residents reporting fire (nil Fire Alarms received by Protective Service Central Operations Room). Private Security - SMA Security, 573 - Irrelevant Information (ph) 573 - Irrelevant Information contacted PS(COR) at 0231 hrs to advise that he had observed the fire & QFES (& QPS) on site when driving past the grounds. He reports that B Block was engulfed and the fire was still active at time of initial report. |
| Southport State High School   | Fire  | 4/10/2019  | General Learning Area   | Private Security | N/A                       |   |
| Edge Hill State School        | Fire  | 27/09/2019 | School Grounds          | Keyholder/Staff  | N/A                       | 573 - Irrelevant Information reports that there is evidence of another camp fire found on the school oval this morning. OSHC staff had to extinguish the smouldering embers when they arrived this morning.   |
| Morayfield State School       | Fire  | 27/09/2019 | School Grounds          | Keyholder/Staff  | N/A                       | 573 - Irrelevant Information reports that a schools officer has reported that this morning that someone has attempted to set a tree on fire near our SEP building.  |
| PALM ISLAND RES 1             | Fire  | 27/09/2019 | Other                   | Private Security | N/A                       | AISS Security reported at 1359hrs the occupier of 573 - Irrelevant Information advised there was a fire in the front corner of the yard. The fire was extinguished by security. The cause of the fire was unknown.  |
| Edge Hill State School        | Fire  | 26/09/2019 | School Grounds          | Keyholder/Staff  | N/A                       | 573 - Irrelevant Information advises it seems we have visitors enjoying a camp fire at night. This was discovered this afternoon. The bush beside the school is known for itinerant camps from time to time. There has been a fire lit on the grass on the oval and on a picnic table in the undercover area next to the oval - some scorch marks on the table and grass but no building damage.  |
| Holland Park State School     | Fire  | 24/09/2019 | School Grounds          | Keyholder/Staff  | N/A                       | 573 - Irrelevant Information advises she has been notified of vandalism and lit fires occurring at Holland Park State School over the past few days - time/date unknown, but believes occurred between 23/9/19 and 24/9/19. Jumpers and plastic temp fencing have been burned and melted on site. Other vandalism has occurred which will be detailed in a separate report. Police reportedly seen on site by vacation care students and staff, but no Police report has been filed at this time.                         |
| Pacific Paradise State School | Fire  | 16/09/2019 | Undercover Area/Walkway | Keyholder/Staff  | Grounds Damage            | 573 - Irrelevant Information reports that during the weekend of Saturday 14th September, in the Junior Undercover Area, notice boards had their posters ripped down and in the Large Undercover Area noticeboards had their posters ripped down and a small fire was lit with rubbish in the area. Fire self extinguished.  |

|                                 |      |            |                         |                     |                           |   |
|---------------------------------|------|------------|-------------------------|---------------------|---------------------------|---|
| Burpengary Meadows State School | Fire | 14/09/2019 | Hall/MPS/Student Centre | Private Security    | External Fixtures         | At 2031 COR received a call from [redacted] a supervisor for Strategic Security stating that one his guards [redacted] at this site have found two wheelie bins well alight outside the Hall front main entry with the flames spreading to the surrounding gardens and threatening the Hall structure. [redacted] contacted QFES via 000. No serious damage to the Hall minor damage to a mesh screen over a window and scorching to the corrugated iron wall closest to the fire. QFES already notified by Strategic Security via 000. Two units from Burpengary station attended. [redacted] advises that an Ember has entered the dust area of manual arts and an evacuation of the school is being conducted. QPS, QFES have already been advised by staff at the school and they are heading to site now. A piece of equipment being used in the Manual Arts building sparked some embers that were sucked into an extractor fan. There was an accumulation of dust in the extractor fan that caused the fire. Only damage is to the fan flue which is being replaced. |
| Chancellor State College        | Fire | 13/09/2019 | Manual Arts             | Keyholder/Staff     | N/A                       |   |
| Emerald State High School       | Fire | 11/09/2019 | Canteen/Uniform Store   | Keyholder/Staff     | External Fixtures         | Upon arriving at school at 0600hrs Wednesday 11 Sept 19, cleaners discovered that 2 rubbish bins had been set alight and burned in the area outside B block tuckshop. Policelink number [redacted]  |
| Burrowes State School           | Fire | 4/09/2019  | Amenities               | Keyholder/Staff     | Internal Damage           | Toilet Roll holder set on fire Junior Toilet Main Amenities Block - Fire extinguished by Staff QFES did not attend  |
| MacGregor State High School     | Fire | 31/08/2019 | School Grounds          | Protective Services | External Fixtures         | School staff advised COR of Fire - [redacted] is contacting QPS and will advise COR of the QPS reference number. [redacted] advises the flag pole has been set on fire again.   |
| Alger State School              | Fire | 26/08/2019 | Canteen/Uniform Store   | Keyholder/Staff     | Grounds Damage            | At some time between 23 Aug and 26 Aug 19 an unidentified person placed a number of items into chest freezer in the UCA-Mural amenities block storeroom (which was apparently left unlocked) and set on fire. It appears they have closed the freezer lid and therefore suffocated the fire. No damage has occurred to the building. The Police report number is [redacted] reports Staff finding evidence of a fire which occurred sometime during the evening / early morning. A fire was lit by Offenders in the Secondary Pathway Garden outside S4. [redacted] - Irrelevant Information advises they have located a Fire pit that used by UAPs located near the tennis courts; the [redacted] has taken a photo of the fire pit, no damage to school property reported at this time.   |
| Woodcrest State College         | Fire | 23/08/2019 | Multiple Blocks         | Keyholder/Staff     | Grounds Damage            | Small fires on table area near canteen, also an umbrella burnt and stuck into light fixture.  |
| Park Ridge State School         | Fire | 21/08/2019 | School Grounds          | Keyholder/Staff     | Grounds Damage            | AISS Security reported person/s had lit a small fire in the corner of the oval, and another was seen outside the school grounds behind the hall. The fires were extinguished by the Officer.  |
| Bracken Ridge State School      | Fire | 18/08/2019 | Multiple Blocks         | Protective Services | Grounds Damage            | [redacted] - Irrelevant Information advised staff found 2x youths at the concrete area near A block lighting clothing from the lost property bin. The youths decamped upon being seen by staff.   |
| Bwgcolman Community School      | Fire | 15/08/2019 | School Grounds          | Private Security    | N/A                       |   |
| Wilston State School            | Fire | 15/08/2019 | General Learning Area   | Keyholder/Staff     | N/A                       |   |
| Kirwan State High School        | Fire | 12/08/2019 | School Grounds          | Keyholder/Staff     | Grounds Damage            | When [redacted] arrived to work early this morning, she put out a fire that had just been started at our Futures Centre. The police were called immediately.  |
| Bentley Park College            | Fire | 6/08/2019  | School Grounds          | Keyholder/Staff     | External structure damage | On the morning of 06/08/2019 Cleaning Staff reported FF block had (at some time during the night) had the attached shade sail set alight as well as signs of a small fire attempt on the deck of this demountable building. There is nothing left of the attached shade sail and there has been damage to the adjoining guttering of the building. [redacted] - Irrelevant Information contacted Qld Police who attended the school on 06/08/2019 to investigate ( QP Number to follow) [redacted] advises that a Contractor is expected to attend on 07/08/2019 to assess the damage. QP Number [redacted]   |
| Chapel Hill State School        | Fire | 5/08/2019  | School Grounds          | Keyholder/Staff     | N/A                       | [redacted] - Irrelevant Information advises that when the cleaners arrived at work on Monday 05 August, they located part of a tree branch that had been set on fire during the weekend near TB 10 and 10.3. The cleaners also located a sleeping bag near the area that had been burnt. No damage was caused to the school because of the fire as it was lit on a concrete area. The cleaners have taken photos of this incident.  |
| MacGregor State High School     | Fire | 5/08/2019  | School Grounds          | Keyholder/Staff     | External Fixtures         | [redacted] - Irrelevant Information advises that the flag pole was set on fire over the weekend.  |
| Walloon State School            | Fire | 5/08/2019  | Administration          | Keyholder/Staff     | Grounds Damage            | Fire was set in the Admin Staffroom by a student. There was minor smoke damage and powder residue from QFES extinguishers. A Cleaning company was to attend to remove the residue of the extinguisher use.  |
| Maroochydore State High School  | Fire | 28/07/2019 | Multiple Blocks         | QFES                | Grounds Damage            | At 0715 QFES advised the COR they had received a 000 call regarding a possible fire, QFES and QPS were on site and requested a key holder to attend. At 0715 Admin was disarmed by the [redacted] at 0717 [redacted] was advised. At 0824 [redacted] advises that they had located Aerosol can that had been set on fire in the new construction site near the music and art blocks. The has been no damage noted to the school [redacted] will be following up with the construction company regarding the Aerosol can being left out.   |
| Warwick East State School       | Fire | 19/07/2019 | Administration          | Keyholder/Staff     | N/A                       | [redacted] - Irrelevant Information advised that there was a large fire at the school QFES were on site at the time of the call. The A Block was destroyed by this fire. No cause found currently for this fire.  |
| Norville State School           | Fire | 17/07/2019 | School Grounds          | Private Security    | N/A                       | [redacted] - Irrelevant Information advises that FNQ security has arrived on site to perform a routine patrol, and have found QFES on site, extinguishing a fire in the bushland area in the school grounds. No damage to any school grounds has been noted.  |
| Springwood Central State School | Fire | 15/07/2019 | Hall/MPS/Student Centre | Protective Services | N/A                       | Protective Services patrol officer reports finding burnt pieces of towelling and minor burn damage to bench seating in the undercover area near the Hall. Empty deodorant cans were also found in this area. Patrol officer reports that the fire had burnt itself out prior to their arrival on site.  |

|                                  |      |            |                         |                     |                           |   |
|----------------------------------|------|------------|-------------------------|---------------------|---------------------------|---|
|                                  |      |            |                         |                     |                           | <p>On 07/07/2019 at 1846 hrs the Protective Service (Central Operations Room) received a Fire Alarm Activation from the Administration fire indicator panel. QFES &amp; Private Security were subsequently dispatched (Private Security to act as Keyholder &amp; give access to the grounds). At 1854 hrs approximately the PS(COR) received a call from QFES fire comms advising that they had received reports from Neighbouring Residents stating that smoke had been seen on the grounds. At 1856 hrs approximately the PS(COR) received a call from Queensland Ambulance Service advising that they had also has reports from Neighbouring Residents and were attending (PS COR advised QAS operator that there was an active Fire Alarm on site however, all intruder alarms on site were armed and there was nil indication that there were any Staff or other Persons on site). At 1859 hours approximately, the PS(COR) contacted PPP School On Call Contact [REDACTED] to advise of the alarm and what actions had been taken. At approximately 1922 hrs the PS(COR) were contacted by [REDACTED] (Goodna Police) to advise that Police were on scene and that access to the Administration would be required. The Fire Alarm was still sounding continuously and in order for the siren to be silenced, QFES would require access (contact details for [REDACTED] were supplied). At approximately 1930 hrs Pride Services Group patrol officer on site contacted PS(COR) to make preliminary report - advised that external check of the Administration had found nothing of note. The officer further stated that Patrol Key set did not give access to Administration. PS(COR) contacted [REDACTED] to query patrol key set issue &amp; were advised that keys to access the grounds were in fact held at Goodna Police Station. At 1936 hrs PS(COR) then initiated a call to PoliceLink to advise Police of Location Keys being held at Goodna Station.</p> <p>Annotation @ 7/07/19 22:26:32</p> <p>Pride Services Group attended - Docket 511225 refers - Patrol reports Fire Found in a plastic rubbish bin outside the Multipurpose Hall, fire was extinguished by QFES. Patrol further reports that Fire Service &amp; Police gained entry to the grounds by cutting a chain at the entry gate prior to the patrol officer arrival on site - Patrol also stated that a Keyholder from the school staff [REDACTED] attended &amp; gave key access as required.</p> |
| Woodlinks State School           | Fire | 7/07/2019  | Multiple Blocks         | Private Security    | N/A                       |   |
| Springwood State High School     | Fire | 2/07/2019  | School Grounds          | Protective Services | N/A                       | Protective Services patrol officer reports finding evidence of a small camp fire constructed on the top of an aluminium table near the canteen. The camp fire consisted of a ring of rocks and some partially burnt twigs and leaves. The table has apparently suffered minimal damage from the fire.   |
| Victoria Point State High School | Fire | 24/06/2019 | Staff Room              | Keyholder/Staff     | N/A                       | [REDACTED] has advised that three fires were recorded for this site on Monday 24 June 2019. The first one was in the Student toilets near staffroom no 2. The soap dispenser had been set alight and there was some damage to the paint where it sat on the wall. CCTV footage was obtained of a person near this area at the time of the fire. Site staff were able to extinguish this initial fire. Secondly, staff from the site were able to contain a fire in bushland near the front of the school along Benfer Road. Finally, a tree in bushland at the rear of the site, caught alight and was extinguished by QFES.  |
| Mudgeeraba State School          | Fire | 16/06/2019 | Multiple Blocks         | Keyholder/Staff     | Broken external furniture | [REDACTED] advises staff discovered a student desk which has been damaged by fire over the weekend. This desk was stored in a locked garden enclosure at the rear of the P&C Shed. I have attached a photo of the scene. Unfortunately my staff have cleaned this up and disposed of the desk. I have asked them in future to not touch vandalism of this type until the Police have been advised. A couple of weeks ago some posters that were attached to the external walls of our tuckshop were also burnt.   |
| Upper Mount Gravatt State School | Fire | 14/06/2019 | General Learning Area   | Protective Services | N/A                       | <p>Note - First Fire Alarm signal was received at 1921 hrs</p> <p>Timeline of events -</p> <p>19:18hrs - [REDACTED] received a call from [REDACTED] advising he was driving past Upper Mt Gravatt State School, two fire units had just arrived and he could see flames coming out of one of the blocks.</p> <p>19:20hrs - [REDACTED] contacted [REDACTED] enquired about any alarms from school, [REDACTED] advised Multiple.</p> <p>19:22 - PS Dispatched</p> <p>19:23 - QFES comms advise COR they are onsite responding to a large active building fire.</p> <p>19:38 - [REDACTED] advised via voice message by [REDACTED]</p> <p>19:39 - COR contact [REDACTED]</p> <p>19:41 - COR contact [REDACTED] Education QLD)</p> <p>19:45 - [REDACTED] and [REDACTED] arrive onsite E Block well engulfed, 5 QFES units onsite with more units responding.</p> <p>19:47 - [REDACTED] rtw DDO QPS and Incident Controller QFES and briefed on events, [REDACTED] instructed to turn off whole alarm system to school.</p> <p>20:01 - [REDACTED] advised by [REDACTED]</p> <p>20:18 - [REDACTED] briefed on incident by [REDACTED]</p> <p>20:24 - [REDACTED] meets with Snr Const [REDACTED] provides him with initial information regarding alarm activation timings and location.</p> <p>21:10 - [REDACTED] rtw [REDACTED]</p> <p>21:30 - [REDACTED] provides alarm mail out report to [REDACTED]</p> <p>21:47 - Fire extinguished mopping down begins Crime Scene declared around E Block.</p> <p>22:30 - [REDACTED] requests and authorises 24hr PS presence onsite upto 08:00hrs Monday morning 17/6/19.</p> <p>23:00 - Temporary fencing and air quality monitoring services arrive onsite .</p> <p>23:20 - Site placed under Police crime scene watch 3 x crews onsite. Various points around school.</p>   |
| Fernbrooke State School          | Fire | 6/06/2019  | Other                   | QFES                | N/A                       | QFES report Fire crew on site in response to a Wheelie Bin fire (2 x 2m approx) on a concrete path near a Teaching Block. MESSAGE ONLY - left for PPP On Call [REDACTED] advised 0608 hours   |
| Beerwah State High School        | Fire | 1/06/2019  | Staff Room              | Keyholder/Staff     | N/A                       | [REDACTED] reports that on 1/6/19 at 7.42 pm 2 Male Youths entered the school (and were recorded on the surveillance camera footage) carrying a handful of sticks each. A fire was set outside the door to Staff room C. The two youths can then be seen walking back past the CCTV cameras at 8.28 pm. No damage to the door occurred and no other damage was found around the school. The incident has been referred to the Police by [REDACTED]  |
| Whites Hill State College        | Fire | 1/06/2019  | General Learning Area   | Protective Services | N/A                       | During routine patrol at 0430 I found three youths lighting a fire in Arts Block stairwell, detained youths and radioed COR to contact police, police onsite at 0450. [REDACTED] from Carina police, police off site at 510 with three youths. No damage to school property.  |
| Beerwah State High School        | Fire | 28/05/2019 | Hall/MPS/Student Centre | Keyholder/Staff     | N/A                       | [REDACTED] reports that on the evening of 28/05/2019 a Plastic Bin was set on fire beside the Performing Arts Block. No other damage was found. The incident has been referred to the Police by [REDACTED]  |
| Beerwah State High School        | Fire | 25/05/2019 | Hall/MPS/Student Centre | Keyholder/Staff     | N/A                       | [REDACTED] reports that on the evening of 25/5/19 a Plastic Bin was set on fire beside the Performing Arts Block. No other damage was found. The incident has been referred to the Police by [REDACTED]   |
| Deception Bay State High School  | Fire | 22/05/2019 | School Grounds          | QFES                | N/A                       | QFES advised at 2226hrs neighbours of the school had reported to them that there was a small fire on the grounds and they would be attending. At 2235hrs, QFES confirmed they had extinguished fires in 3x wheelie bins on the grounds. No other damage to property was noted.  |
| Laidley State High School        | Fire | 19/05/2019 | School Grounds          | Keyholder/Staff     | N/A                       | On the 19/5 at approx. 7pm, 2 male youths entered the school grounds. They were carrying a container of fuel/petrol. - They stopped on a paved area outside a Library classroom. - Security footage shows them inhaling fuel. - They then poured a small amount of fuel on the pavers and then ignited. - Once the fire was out they poured another larger amount and lit it up again. - They were then seen running from this area and walking through the school carrying the container of fuel. - Security footage has been provided to Laidley police. [REDACTED]   |
| Woodcrest State College          | Fire | 10/05/2019 | Canteen/Uniform Store   | Protective Services | N/A                       | [REDACTED] requested QFES attendance to extinguish a small fire at the rear of the canteen, believed to have started in an air conditioning unit.   |
| Birkdale South State School      | Fire | 5/05/2019  | School Grounds          | QFES                | N/A                       | QFES advised at 1952hrs they had attended an extinguished a small fire in a drain pipe near the hall. A plastic drain pipe under a pedestrian bridge has been set alight.   |
| Moorooka State School            | Fire | 24/04/2019 | School Grounds          | Keyholder/Staff     | N/A                       | [REDACTED] reports Staff found a small fire had been lit in a garden bed on the school grounds. Reported to have occurred on 24 April 2019.   |

|                                  |       |            |                         |                     |                           |  |
|----------------------------------|-------|------------|-------------------------|---------------------|---------------------------|--|
| North Lakes State College        | Fire  | 13/04/2019 | School Grounds          | Keyholder/Staff     | N/A                       | Staff member [redacted] advised 2x fires had been lit on site during 13/04. No further information was available at the time of the report.  |
| Highland Reserve State School    | Fire  | 3/04/2019  | School Grounds          | Keyholder/Staff     | N/A                       | [redacted] advised CCTV captured images of 2x male persons setting a school jacket alight on top of a wooden table at the front of the hall, causing some minor scorch marks.  |
| Sunnybank Hills State School     | Fire  | 1/04/2019  | Resource/Library        | Protective Services | N/A                       | While patrolling this location [redacted] found evidence of a small fire having been lit on the rear veranda of the Library. It appears that a small amount of cardboard had been set alight. No structural damage is evident with only light scorch marks on the timber decking. Key holders to be advised in the morning.<br><br>Patrol was responding to multiple intruder alarms in the library.<br><br>Photos sent to COR   |
| Regents Park State School        | Fire  | 27/02/2019 | Hall/MPS/Student Centre | QFES                | N/A                       | Qld Fire and Emergency Services reported they had attended to a call made by a member of an on site user group about a small fire in the Hall. Protective Services reported on arrival an indoor light had malfunctioned and caused a small amount of scorching. A dry chemical fire extinguisher had been used in the area, and powder was all over the floor.  |
| Peregian Springs State School    | Fire  | 26/02/2019 | Multiple Blocks         | Keyholder/Staff     | N/A                       | [redacted] advised a [redacted] in E/F Block practical learning area moved a set of papers on the bench that were atop a cooking element, however, replaced the papers and continued normal cleaning, not realising they had inadvertently turned-on the element. When the [redacted] noticed a smell and found the darkened paper, but did not see flames, they took it outside and dropped it into a plastic bin receptacle and when the flames self-extinguished resumed their duties. Staff complained of the smell and [redacted] attended, and found the bottom of the plastic bin had begun to decompose due to heat and the cooking element still on; turned off power to the blocks from the switch board, electrician called to check the isolation switches for this and every other cooking element on campus. |
| Aspley East State School         | Fire  | 22/02/2019 | School Grounds          | Keyholder/Staff     | N/A                       | Staff member [redacted] advised she had disturbed 2x male persons who appeared to be approximately 14-15 years of age, 1x with a bicycle, that were lighting a fire on the artificial turf in the playground area. [redacted] had advised QFES and Qld Police directly. The persons left the area upon being discovered. Protective Services patrol reported on arrival that the fire had been extinguished by QFES, and there was minor damage to the artificial turf and also to a paperbark tree.   |
| Burpengary Meadows State School  | Fire  | 20/02/2019 | Administration          | Private Security    | N/A                       | Security Ops reported during a patrol at 1935hrs that a notice board adjacent to the Administration entry had been set alight. The fire had self extinguished at the time of the report, and no other damage was noted.  |
| Loganlea State High School       | Fire  | 6/02/2019  | Multiple Blocks         | Keyholder/Staff     | N/A                       | 1045hrs - School staff reported a fire had broken out in C Blk in an electrical cupboard. QFES were in attendance and the fire was contained to the electrical cupboard only. It is believed that the electrical cupboard may have overheated. Energex have also attended and tagged the cupboard until repairs are effected. The [redacted] advises that all power to C Block and the associated Agricultural Block is to remain off until likely the beginning of next week. The alarm expander 7 to these blocks will be offline for this duration and these blocks will remain disarmed for this period. Any damage is contained to the electrical cupboard only.  |
| Northgate State School           | Fire  | 17/01/2019 | School Grounds          | QFES                | N/A                       | QFES advised they had been alerted to a fire in a garden bed at the school, and had attended to extinguish. QFES advised they had forced entry via a gate near the tennis courts to gain access.   |
| Kin Kora State School            | Fire  | 6/01/2019  | School Grounds          | Keyholder/Staff     | External structure damage | [redacted] advised a fire was lit in a tunnel slide at the school outdoor play area, causing some of the plastic to melt. Event was believed to have occurred in the first week of the year, but the actual date was unknown.  |
| Darling Heights State School     | Fire  | 24/12/2018 | Amenities               | Keyholder/Staff     | N/A                       | [redacted] advised staff member [redacted] had notified him of a small fire in the staff toilet located at Covered Play area 2, near Block 4 and the Library. Contents of the rubbish bin in the room were lit, and there was some minor scorch marks to the floor.  |
| The Gap State High School        | Fire  | 22/12/2018 | Hall/MPS/Student Centre | Protective Services | N/A                       | 51074 [redacted] reports while on patrol 0903hrs - Someone has lit a fire on ground outside main entrance doors to sports hall. Charred wood and melted bottles. Nil damage to school property.  |
| Morayfield East State School     | Fire  | 17/12/2018 | General Learning Area   | Keyholder/Staff     | N/A                       | On Monday 17/12/2018 at around 2230 hours [redacted] Staff [redacted] noticed scorching on a F Block wall and door that was not there before. Door is secure and does not require an immediate repair.   |
| Laidley State High School        | Fire  | 25/11/2018 | General Learning Area   | Police              | N/A                       | Qld Police, responding to alarms from D block at 1822hrs, advised a fire was started in student lockers that are located in a breezeway in D block. The lockers were destroyed, structural damage occurred to D block room 4, and smoke damage and scorching occurred in D block rooms 3 and 5, and in the breezeway. The fire was extinguished by QFES, who had attended after being alerted to smoke emanating from a school building by a member of the public.   |
| Victoria Point State High School | Fire  | 25/11/2018 | School Grounds          | Keyholder/Staff     | N/A                       | Our hirers reported this morning that last night Nov 25 9.30pm they use the fire extinguisher [redacted] at 26/11/18 11:20 from PA block to put out a fire in the bushland behind PA and besides oval. There were a numbers of adults with phones who were seen running from the area just after the fire started. There was a 2nd fire in the same area 1/2 hour later approx. 9.55pm and they rang the Fire Services to attend to this fire. The Fire services confirmed to them that it was arson.  |
| Cloncurry State School           | Fire  | 22/11/2018 | Multiple Blocks         | Keyholder/Staff     | N/A                       | [redacted] advised 1125 hrs 26.11.18 [redacted] has located scorch marks of a fire that was lit on the grounds near the corner of Burke and Wills shed on morning of 22/11/2018. Ash debris and scorch marks were also located under the port racks outside science laboratory, E Block.   |
| Cavendish Road State High School | Fire  | 12/11/2018 | General Learning Area   | Protective Services | N/A                       | Docket No. 45677 - [redacted] advises Found aerosol can on fire near T Block, extinguished fire, no damage to school   |
| Beenleigh State School           | Fire  | 6/11/2018  | Other                   | Keyholder/Staff     | N/A                       | [redacted] reports remains found of a small fire presumed to have been lit by Unknown/ Unauthorised Person/s in the Car Park near the Administration. The ashes have blown across the Car Park this morning 07/11/2018 however it can still be seen where the Offenders were seated etc. [redacted] further states that the last previous similar occurrence was not since this time last year 2017. Staff also found a syringe on the Junior Oval near the Prep Buildings.  |
| Cleveland State School           | Fire  | 4/11/2018  | Canteen/Uniform Store   | Private Security    | N/A                       | While responding to an alarm from the Canteen roller shutter [redacted] from Security Ops [redacted] reports that he found and is trying to put out a burning table and towels between G and I blocks.   |
| Bwgcolman Community School       | Fire  | 30/10/2018 | Other                   | Private Security    | N/A                       | Guard onsite [redacted] advises reporting fire from residential location across the road from the school and observing 5 youths running from the area. [redacted] further advises that police arrived at scene and dealt with fire.  |
| Heatley Secondary College        | Fire  | 30/10/2018 | School Grounds          | Keyholder/Staff     | N/A                       | Report does not state if residence was a government owned premises.<br><br>I [the Informant] was sitting at my desk in S Block staff room and noticed smoke coming from the community garden. XXXX, XXXX [no Name given] and I went over to take a look. A [redacted] was there attempting to put the fire out with a bottle of water as his daughter was bringing them over from their house. He stated he had seen some youths [nil descriptions provided] setting fire to the garden (it was hard to understand what he was meaning). Between us we put the fire out. There was a bottle of nail varnish remover nearby. The grass near the bed was scorched and looked like it had been separately lit.  |
| Morayfield East State School     | Arson | 17/10/2018 | School Grounds          | QFES                | N/A                       | I (DZ) have asked the school via email for further details to this incident particularly for time and date of incident and who of the school staff were involved.<br>QFES advised they were on site at the school and had extinguished a fire at a 3m x 3m shade sail over the sand pit. They had been informed by [redacted] delivering to the school that a group of youths had been on fire and had set fire to the sail. QPS were advised by QFES also.  |

Released under  
RTI 2009

|  |       |            |                         |                     |                   |   |
|--|-------|------------|-------------------------|---------------------|-------------------|---|
|  |       |            |                         |                     |                   | 0302 - COR received multiple alarms from L Block - room 20 and 21, followed by a fire alarm activation from B Block - Fire alarms and C Block - Fire alarms. 0303 - s73 - Irrelevant Information initiated a call to dispatch QFS to site. 0304 - s73 - Irrelevant Information dispatched 321 and 336 to site. 0304 - s73 - Irrelevant Information initiated a call to dispatch QFS to site. 0308 - s73 - Irrelevant Information received a phone call from QFS comms advising of actual fire at site. 0314 - s73 - Irrelevant Information onsite, advises COR of major fire to school. At this stage appears to be to L block. No further information yet. 0314 - s73 - Irrelevant Information initiated a call to keyholder s73 - Irrelevant Information to advise of fire. 0316 - s73 - Irrelevant Information advises s73 - Irrelevant Information of major incident. 0321 - s73 - Irrelevant Information contacts s73 - Irrelevant Information to gather further details, confirmed L block. Unable to identify if any further damage to other blocks. s73 - Irrelevant Information advises QFS were onsite when he arrived at 0314, QFS arrived at 0315 and QAS arrived very shortly after QFS. QFS advised that there was a group of kids hanging around on arrival. 0324 - s73 - Irrelevant Information advises s73 - Irrelevant Information that fire is confirmed for L Block. unsure if any other areas within school are damaged. 0325 - s73 - Irrelevant Information initiated a call to s73 - Irrelevant Information to advise of major fire. 0359 - s73 - Irrelevant Information advises Energex are onsite 0411 - Keyholder s73 - Irrelevant Information onsite with QFS 0425 - s73 - Irrelevant Information advises gathering information from s73 - Irrelevant Information from Coorparoo station who advises more than 1 block is damaged, no further information at this point. 0429 - QFS comms advised s73 - Irrelevant Information multiple buildings, Buildings attached to L block. Based off map those buildings are L, B and C blocks. Aligns with initial intruder/Fire alarms. 0532 - Alarms in admin still communicating. |
| Morningside State School               | Arson | 16/10/2018 | Multiple Blocks         | Protective Services | N/A               |   |
| Morningside State School               | Fire  | 16/10/2018 | General Learning Area   | Protective Services | N/A               | Protective Services officer on site reported flames at L block had flare up, presumably from the remnants of a major fire on 16/10. QFES were on site, but it was not known who notified them of the fire.  |
| Yarrabah State School - Primary Campus | Arson | 15/10/2018 | Administration          | Keyholder/Staff     |                   | Posters on the external windows of the Administration Block were lit on fire, minimal damage only. s73 - Irrelevant Information was advised by Police that to lodge this job (in relation to attempted arson) Police will be required attend the school.  |
| Bwgcolman Community School             | Fire  | 5/10/2018  | Other                   | Private Security    | N/A               | AISS patrol reported persons had lit a small fire outside the fence line in the gully near the hall. The Officer had extinguished most of the fire, and contacted the rural fire services to extinguish the remaining fire.   |
| Victoria Point State High School       | Fire  | 25/09/2018 | School Grounds          | Private Security    | N/A               | Security Ops reported during a patrol at 2158hrs that there was a small fire in the bush area at the front of the school, near the pedestrian gate. The patrol Officer advised QFES had attended and extinguished the fire.   |
| Burrowes State School                  | Fire  | 5/09/2018  | Prep Block              | Keyholder/Staff     | N/A               | School Officer s73 - Irrelevant Information advised a plastic dispenser in the accessible toilet at the Prep block had been set alight. The dispenser was melted/damaged and there were some scorch marks on the wall.  |
| Rockhampton State High School          | Fire  | 29/08/2018 | General Learning Area   | Keyholder/Staff     | N/A               | s73 - Irrelevant Information advises damage that occurred last night was at 2.30 am. Unknown persons set fire to the foyer of the Art Block destroying students art work and causing fire, smoke and water damage to the Art Block. The foyer was severely affected. The building has been quarantined by Police due to the plastics smell. Offenders also set fire to air conditioning units that were stored behind wire fencing at D Block and tried to set fire to the Scissor lift that was also behind the wire fencing. These belonged to the contractor that was hired to install air cons to D Block. s73 - Irrelevant Information He will be getting his insurance assessor in. Two fire brigade units attended to the fire and Ergon Energy were called to turn off the power to the Art Block and several police with dogs attended. 2 teenage youths were seen leaving the seen and been identified and arrested by QFS. 1 youth has been remanded in custody and the has been released on bail. E&SS is provided static security officers in the out of hours until 0530 hours on Monday 3/9/2018   |
| Glass House Mountains State School     | Fire  | 25/08/2018 | Undercover Area/Walkway | Keyholder/Staff     | N/A               | s73 - Irrelevant Information advises Fire 25/8/18, Police report number - s73 - Irrelevant Information In the undercover area, garden mulch heaped onto concrete in the undercover area, accelerant used. Fire and police attended - s73 - Irrelevant Information (arrived) onsite to discuss with police.  |
| Deception Bay State High School        | Fire  | 21/08/2018 | School Grounds          | Keyholder/Staff     | N/A               | s73 - Irrelevant Information advised that upon arrival it was found that a wheelie bin had been set alight on the cricket oval in the vicinity of the shelter. No damage to any facilities was reported.  |
| Albany Creek State School              | Fire  | 20/08/2018 | OHSC                    | Keyholder/Staff     | External Fixtures | s73 - Irrelevant Information advises over the weekend of the 18th & 19th of August - that the Shade Sails between E Block and C Block have been vandalised. Someone on the weekend has burnt holes in the Sails. The company that installed the Shade Sails came out and have a looked at the sails and believe that offender/s have also thrown an accelerant on the sails as well. Nil intruder alarms over the weekend.  |
| Raceview State School                  | Fire  | 13/08/2018 | General Learning Area   | Keyholder/Staff     | N/A               | s73 - Irrelevant Information reports - on the weekend unknown person/persons tried to start a fire under J Block. A burnt book was found underneath the building.   |
| Deception Bay State High School        | Fire  | 10/08/2018 | School Grounds          | Keyholder/Staff     | N/A               | s73 - Irrelevant Information advised that upon arrival it was found that a wheelie bin had been set alight on the basketball courts, and had caused damage to the playing surface.  |
| Oxley State School                     | Fire  | 10/08/2018 | Hall/MPS/Student Centre | QFES                | N/A               | Wheelie bin at rear of Hall set alight. QF&ES report no other damage. QF&ES report they cut the padlock at the rear gate.<br>NOTE- the last patrol prior to QFS call was by Zone 3 at 1935 10/8/18<br>322 School supervisor s73 - Irrelevant Information notified   |
| Harristown State High School           | Fire  | 6/08/2018  | OHSC                    | Keyholder/Staff     | N/A               | s73 - Irrelevant Information notified<br>s73 - Irrelevant Information advises a school wheelie bin near the top oval has been burnt.  |
| Mossman State High School              | Fire  | 5/08/2018  | Other                   | Keyholder/Staff     | N/A               | On the 05/08/2018 on the East side of K Block a fire was lit next to the table, burnt sticks around on the ground, empty food containers and soft drink cans. Nil damage to any buildings or school structures.   |
| Mount Archer State School              | Fire  | 30/07/2018 | Amenities               | Keyholder/Staff     | N/A               | s73 - Irrelevant Information advised on 30 July that ashes and residue of a small fire was found on the roof of Amenities building 1. No damage occurred to the building.   |
| Meridan State College                  | Fire  | 23/07/2018 | School Grounds          | Keyholder/Staff     | N/A               | School Officer s73 - Irrelevant Information reported at 0949hrs on 23/07 that during the weekend 20-22/07 four fires had been lit within the school grounds. The largest was in the undercroft area where a block wall and concrete floor had scorching damage as a result. Another smaller fire had been lit under a window sill in Think Tank 01, using two posters as additional fuel. The other two attempts had caused minor scorching around the door locks in Think Tank 2. No structural damage had occurred.   |
| Mount Gravatt State High School        | Fire  | 23/07/2018 | General Learning Area   | Keyholder/Staff     | N/A               | s73 - Irrelevant Information advised burnt paper was found near an entry door at E block. No damage was caused to school property.  |
| Deception Bay State High School        | Fire  | 8/07/2018  | School Grounds          | QFES                | N/A               | QFES contacted Protective Services monitoring at 0325hrs and advised a member of the public had reported a fire on the school oval. s73 - Irrelevant Information was notified. The fire was extinguished with no damage to any buildings.   |
| Deception Bay State High School        | Fire  | 7/07/2018  | School Grounds          | QFES                | N/A               | QFES contacted Protective Services monitoring at 0005hrs and advised neighbours had reported a fire on the school oval. s73 - Irrelevant Information was notified and advised the fire was a grass fire which has been extinguished with no damage to any buildings.  |
| Morayfield East State School           | Fire  | 4/07/2018  | Multiple Blocks         | Keyholder/Staff     | N/A               | Staff member s73 - Irrelevant Information advised staff found foam gutter guard was removed from the gutters on the year one building.  |
| Springwood Central State School        | Fire  | 3/07/2018  | Undercover Area/Walkway | Keyholder/Staff     | N/A               | s73 - Irrelevant Information advised evidence of a small fire started from lighting paper was found on the stage at the rear of the undercover area. Protective Services patrol also reported the words 'We are coming for you' were in silver paint in the area.   |
| Nerang State High School               | Fire  | 2/07/2018  | School Grounds          | QFES                | N/A               | QFES officer s73 - Irrelevant Information contacted Protective Services monitoring and advised that QFES had attended to extinguish a small fire in an area of grass and trees (which area of the school this was could not be specified). QFES were required to use force to enter the site as the fence gates were secured.   |
| Morayfield East State School           | Fire  | 1/07/2018  | School Grounds          | QFES                | N/A               | QFES advised a member of the public had contacted them about rubbish bins within the school grounds that had been set alight. Several bins on the school grounds were found to have had contents lit, and were extinguished by QFES. Further advice from staff member s73 - Irrelevant Information was that the following areas had minor burns/scorch marks found: Modular 9 classroom side wall and door with paint scorched; A storm water down pipe at the Yellow Covered Area walkway in front of Modular 8; 3x plastic foot supports at the YCA playground climbing wall; A storm water down pipe on the library wall; The poly carbonate cover to the behaviour display notice board near the canteen; Artificial turf/grass near the Green Covered Area; A staff toilet door in the GCA; The slide in the year 3&4 playground. A burnt T-Shirt was found on the GCA concrete; A Tuppaware container was found placed on the stair rail of Modular 9 and burnt, and at Prep posters on the door had been set alight, and a skip bin in the G-Block car park area was incinerated.  |